

Reference: FCM01TIS  
EAN13: 8057730896191

**Product title:**

Sarè | Brushed Steel Metal Fairlead

**Product attributes:**

**Product image:**



**Product price:**

\$6.20 tax included

### Product short description:

The Saré metal fairlead clips work great for running cords and cables along walls or ceilings. The Brushed Steel finish creates a sleek, elegant look that helps exposed cables feel more built-in. Since this ceiling or wall fairlead has an adjustable screw closure, it is suitable for both [round](#) and [twisted](#) cables. (Our outdoor and extension cords are not compatible.)

These are solid aluminum and come complete with an embossed knurled grip on the cap. The Saré metal fairlead is available in multiple finishes that match within the Creative Cables range of lamp parts, so match it with our [brass ceiling canopies](#), [socket kits](#), [lampshades](#), and [extension tubes](#) to create lamps and lighting tailored by you.

Use The Saré with your favorite pendant lights, or just about any cable you want to keep neat & tidy.

Of course you can always use a Saré to create the perfect swag for your lighting, or attach your plugin pendant neatly to a wall or ceiling. But you can also use it to manage and organize cables and wires for anything that's between .20" to .30" in diameter. This may include:

- Computer Cables
- Coaxial Cables
- Network Cables
- USB Cables
- Whatever you can think of that needs to be held in place.

All Saré fairleads come with a complimentary screw and anchor to attach to drywall or wood. But if you don't want to, or can't, screw it into a surface then you can just attach some 3M VHB double-sided tape (not included) and stick your Saré cable clip anywhere you need it.

### Product description:

#### Technical data for the Saré | Brushed Steel Metal Fairlead

- Ceiling or wall mount fairlead in Brushed Steel colored aluminum
- Diameter: 5/8" (0.625 inches)
- Height: 5/8" (0.625 inches)
- Complete with screw and dry wall anchor for wall mounting.
- Compatible with round and braided 2 or 3 pole cables with a diameter between .20" to .30" (5mm to 8mm).

Product features:

Product gallery:

