

Reference: KEIVAROSNE  
EAN13: 8057730897334

**Product title:**

EIVA Cylindrical ceiling canopy kit suitable for wet locations - in soft touch silicone

**Product attributes:**

Finish: White, Black, Soft green, Petrol, Soft blue, Yellow mustard, Salmon, Carbon black, Glacier grey

**Product image:**



**Product price:**

\$31.20 tax included

**Product short description:**

From today you can create your own custom outdoor lamp thanks to EIVA.

The EIVA ceiling canopy, as well as the socket that is the heart of the system, thanks to the special insulating gel contained in the dedicated box can be used to create lamps suitable for wet locations, that make them able to withstand rain and storms in complete safety.

Made of soft touch silicone, for a smooth and elegant effect in each of the many colour finishes available, this water resistant ceiling canopy is perfect for creating single wall or ceiling suspension lamps using the 2x1.00 neoprene Creative Cables outdoor cables and the waterproof socket from the EIVA line with matching cover.

The EIVA Outdoor lighting system is entirely designed by Creative Cables and will allow you to light your outdoor spaces, like gardens, patios or terraces with customized and unique solutions.

Configure and complete your EIVA system:

- Choose the version of socket that best suits your needs, naked or with soft touch silicone cover.
- Match the silicone soft touch ceiling canopy suitable for wet locations in the color you prefer.
- Complete your outdoor lighting with Creative Cables lampshades, accessories and light bulbs.

Each EIVA component is an international patent by Creative Cables.

**Product description:**

Technical specifications kit soft touch silicone ceiling canopy for wet locations:

Diameter: 4,9".

Hole diameter: 0,4"

Material: soft touch silicone.

Suitable for wet locations

Transparent technopolymer cable clamp included

Ceiling closure with metal bracket.

Self-locking plastic clamp to stop the gel box included.

Includes three-pole terminal block for ground connection of the system with resinated connection and double insulated cable.

Compatible with SJT-W 2AWG18 cables.

Warning: non-UL-device

Product features:

Product gallery:

