

Reference: US-CATB40CZ04

EAN13: 8057730860048

## Product title:

Ready-to-use 40ft String Light with 5 white Sockets, Hook and Plug

## Product attributes:

Cable colour: CF10, CF15, CH69, CM02, CM03, CM04, CM05, CM09, CM16, CM17, CM21, CM22, CM27, CZ04, CZ22, CN06, CX08, ECM39, ECC37, CM10

## Product image:

## Product price:

\$208.10 tax included

## Product short description:

String lights cable is a sensational way to transform your outdoor space. They also work beautifully indoors for festive celebrations. Ready-to-use, we offer these premium 40ft outdoor lights in an extensive range of eye-catching colours and fabrics.

With these delightful flex colours and fabrics you will find everything else you need to easily craft the ideal setting for your gathering. This includes the US plug, hook, E26 Sockets. The hook enables you to cross the cables or run them parallel to match your preference and when the summer is over the whole assembly is easy to unhook, unplug and pack away.

## Warning

Bulbs are not included so please decide on your preferred type from the many choices available in the appropriate section of our website.

**Product description:****Technical data for Cable**

- Rectangular flat shaped 2 x 1.5 mm cable, 13.5 x 5.5 mm, compliant with EN 60228/ IEC 60228
- Cable specifications: H05RNH2-F Neoprene covered with fabric
- Nominal Voltage: 300/500 V
- Operating temperature: -40°C/+ 60°C
- No flame propagation: in accordance with EN 60332-1-2/IEC 60332-1
- Referring Regulations: EN 50525-2-82 and IEC 60245

**Technical data for Socket**

- E26 fitting
- Class II
- 2A
- Maximum power of the light bulb: 15W
- Rate of protection IP44

**Technical data for Hook**

- Thermoplastic terminal hook with IP44 protection rating ideal for composing a string light on your own.

**Technical data for Plug**

- 15 amp/125 Volt, non-grounding
- Residential grade, NEMA 1-15R, 2P and 2W
- Rubber devices resist cold, abrasion, grace, oils acids & impact
- CSA & UL listed

**Product features:**

Material: Thermoplastic

Ferrule: No

Fitting: E26

Room: Outdoor

**Product gallery:**

